



KALIKA INTERNATIONAL



A ISO 9001 : 2008 CERTIFIED COMPANY

Manufacturers & Exporters of Hydraulic Brake Fluid Dot - 3, Dot - 4 & Dot - 5, Antifreeze Coolant, Automotive and Industrial lubricants.

Regd off : B - 68, Navyug Niwas, 7th Floor 167, Dr. D.B. Marg Mumbai - 400007.
Tel No : 91-22-24130398, 24131351 Fax : 91-22-24138512.

PRODUCT NAME

BRAKE FLUID DOT 3

DESCRIPTION & APPLICATIONS

Brake Fluid DOT 3 is a high quality brake fluid suitable for use in brake (drum and disc) and clutch applications in cars, trucks, buses and motorcycles where FMVSS DOT 3 fluids are specified. Do not use in hydraulic/brake systems where DOT 4, DOT 5 (silicone) or mineral based fluids are specified.

FEATURES & BENEFITS

Brake Fluid DOT 3 meets the US specification F.M.V.S.S. No.116 DOT 3, ISO 4925, SAE J1703 and AS 1960.1 Grade1 Polyglycol type brake fluid standards. It has excellent viscosity behavior over a wide temperature range ensuring good braking performance at all times. It is inert and compatible to both natural and synthetic rubber used in brake systems (hoses, caps and seals). Brake Fluid DOT 3 provides outstanding corrosion protection to all metal components in the braking system.

SPEC'S & APPROVALS

F.M.V.S.S. No.116 DOT 3
SAE J1703
ISO 4925
AS 1960.1 Grade 1

HEALTH / SAFETY & ENVIRONMENT

Health, safety and environmental information are provided on the Material Safety Data Sheet for this product. Users should consult the MSDS, follow the precautions outlined and comply with all laws and regulations concerning its use and disposal.

TYPICAL CHARACTERISTICS

Colour	-	Straw
Density @ 20° C	-	1.03 - 1.05g/cm3
Boiling Point (ERBP)	-	Min. 205°C
Wet Boiling Point, °C	-	Min. 140°C
Viscosity @ -40° C	-	Max. 1500 Cst
Viscosity @ 100° C	-	Min. 1.5 Cst
Flash Point	-	Min. 80°C
Ignition Temperature	-	Min.300°C
PH Value	-	Slightly Alkaline

Typical characteristics are only a guide to industry and are not necessarily manufacturing or marketing specifications, and do not constitute any legal liability. Information is correct at time of printing.

Product Bulletin
Issued: January 2017

BRAKE FLUID DOT3
Page 1 of 1